EZ15 Pull Line Blower

for fiber optics technology



Standard-Equipment in strong plastic case



The simple way to blow pull line into microducts or innerducts

Facts

- Blow special pull line (ø 1 mm, tensile strength 24 kg) into microducts (internal diameter from ø 4 to 20 mm / ⅛" to ¾")
- For fiber optics technology
- Installations in the range of private houses, office and industrial buildings
- Ideal for short distances e.g. junction box to home/room
- Easy to handle
- Lightweight and compact
- Ready for use in seconds
- For use with a standard commercial compressor 200-300l/min (not included in scope of delivery)
- Fast feeding (500 m in 30 s)
- Excellent accessibility, even in confined spaces
- Equipped with safety valves and overpressure protection
- Perfect value for money
- Fits in any car boot

EZ15 Video

Zeitler AG
Sonnhalde 7
CH-6206 Neuenkirch
Switzerland

Tel. +41 (0)41 467 16 14
Mail: info@zeitler.swiss
Web: www.zeitler.swiss

EZ15 Pull Line Blower

for fiber optics technology

Purpose of use

- Blow in a special pull line into microducts (internal diameter 4-20 mm / ⅛" to ¾")
- especially designed for fiber optics technology
- installations in the range of private houses, office and industrial buildings
- ideal for short distances (e.g. junction box into home/room)
- perfect accessibility even in confined spaces
- to be used with standard compressor 200 – 300l/min (not included)


Application

- Choose tube connection according to duct diameter
- Connect chosen tube connection to microduct
- Thread special pull line into micro-duct
- Connect tube connection to EZ15
- Switch on compressor
- Connect pneumatic hose to EZ15
- Observe uncoiling of pull line in cylinder
- Pull line leaves micro-duct
- Uncouple pneumatic hose from EZ15
- Uncouple tube connection from micro-duct
- Cut off special pull line
- Link cable to pull line



Technical data

- Maximum pressure: 8 bar / 116 psi
- Weight: 2.5 kgs
- Dimensions:



Zeitler AG
Sonnhalde 7
CH-6206 Neuenkirch
Switzerland

Tel. +41 (0)41 467 16 14
Mail: info@zeitler.swiss
Web: www.zeitler.swiss

SWISS MADE

EZ15 Pull Line Blower

for fiber optics technology

Scope of supply EZ15 Pull Line Blower with STANDARD Equipment

in strong plastic case

- 1 EZ15 Stringing Gun
- 4 rolls of cable Pull Line ø 1mm (tensile strength 24 kg, length 900m)
- 6 tube connections for ducts ø 7, 8, 10, 12,14, 16 mm
  (other dimensions on request)
- 1 pneumatic hose (length 3 m)
- 1 tube nozzle for ducts ID 13 - 20 mm
- 1 Rubber protection
- 1 T-fitting
- 1 box with spare parts
- 1 instruction manual



Also available as **EZ15 +PLUS Equipment** including following extra accessories



- 6 line stopper for pipes ø 7, 8, 10, 12,14 and 16mm
  It prevents the line from unwinding any further,
  as soon as it has reached the tube outlet. For single-handed working



- Ball tap
  to regulate air flow coming from compressor



- 10 Lubriball of ø 5,10,15 and 22mm each
  Cleaning and lubricating sponges

Special accessories (to be ordered separately):



- Tube reductor 8/5mm and 8/4mm

Suitable Pull Line:



- Cable Pull Line ø 1 mm, tensile strength 24 kg
  1 box with 10 rolls of ca. 900 m (Art. 100132)

See more
EZ15 accessories

Zeitler AG
Sonnhalde 7
CH-6206 Neuenkirch
Switzerland

Tel. +41 (0)41 467 16 14
Mail: info@zeitler.swiss
Web: www.zeitler.swiss